



Safety Data Sheet

SECTION 1: Identification

Product Name Mag V Wheel Cleaner
Product Code 24-114, 24-115, 24-118

Recommended use Metal Wheel Cleaner & Water Spot Remover

Manufacturer Mark V Products
400 El Sobrante Road
Corona, CA 92879
(951) 280-9799

Emergency Phone #
Chemtrec (800) 424-9300

SECTION 2: Hazard Identification

Physical State: Liquid
Color: Green
Odor: Acid

GHS Classification:

Flammability: None
Skin Irritation: Category 2
Eye Irritation: Category 2
Specific Target Organ toxicity: None
Single Exposure: None
Aspiration Hazard: Category 2



Signal Word Danger

Health Statements: H30: Harmful if swallowed.
H305: Maybe harmful if swallowed and enters airways
H315 + H320: Causes skin and eye Irritation
H332: Harmful if inhaled

Precautionary Statements: P261: Avoid breathing fumes / dust
P270: Do not eat drink or smoke when using this product
P280: Wear protective gloves and eye protection when using this product

Response: P301+P330+P331. If swallowed, rinse mouth. Do not induce vomiting
P304+340 If inhaled, Remove person to fresh air and keep comfortable for breathing
P332+P313 If skin irritation occurs, get medical attention
P337+313: If eye irritation persists get medical advice/attention

Exposure routes Inhalation, Skin contact, Eye Contact, Ingestion

Eye Contact: May cause mild eye irritation. Symptoms include stinging, tearing, and redness.

Skin Contact: May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin.

Ingestion: May be harmful if swallowed. Can cause gastrointestinal irritation, nausea, vomiting & diarrhea. Aspiration of material into lungs may cause chemical pneumonitis.

Inhalation: Excessive inhalation of vapors can cause nasal and respiratory irritation.

Label Elements:

Precautionary Statements P102: Keep out of the reach of children

Storage / Disposal Dispose of according to local, regional and/or national regulations.

SECTION 3: Composition / Information on Ingredients

HAZARDOUS INGREDIENT _____ CAS NUMBER _____

Sulfuric Acid 7664-93-9

SECTION 4: First Aid Measures

Description of first aid measures

Inhalation	Remove to fresh air and keep comfortable. If breathing is difficult or you feel unwell, seek medical attention.
Skin	Wash with soap and water. Remove contaminated clothing and wash before re-use.
Eye	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, seek medical attention.
Ingestion	Do not induce vomiting. If conscious, give two glasses of water. Follow with Milk of Magnesia. Get immediate medical attention. If spontaneous vomiting occurs, keep airway clear.

Most important systems and effects, both acute and delayed

Product is irritating to skin and mucous membranes. Always wear protection (eye goggles, nitrile gloves, organic vapor respirator, rubber boots and rubber apron) when using product.

Indication of any immediate medical attention and special treatment needed

Note to Physician All treatments should be based on observed signs and symptoms of distress in the patient.

SECTION 5: Fire Fighting Measures

Extinguishing media

Suitable Extinguishing Media CO₂, dry chemical, foam, water fog, water spray

Unsuitable Extinguishing Media None

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards None

Hazardous Combustion Products Combustion may produce Carbon Monoxide, CO₂ and potentially irritating fumes.

Advice for firefighters

Wear approved SCBA with full facepiece operated in positive pressure demand mode.

Hazardous Polymerization is not expected to occur

Avoid contact with strong oxidizing agents and strong acids

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions For large spills (100 gallons or more) wear appropriate protective equipment including rubber boots, gloves, goggles and apron.

Emergency Procedures Isolate spill or leak to prevent entering storm drains.

Environmental Precautions

Avoid run off to waterways and storm drains.

Methods and materials for containment and clean up

Containment / Clean up Measures

Stop leak if you can do it without risk.

Dike ahead of liquid spill to prevent entering storm drains.

Absorb and transfer to containers

SECTION 7: Handling and Storage

Precautions for safe handling

Handling Product is slippery. If product is spilled onto floor, clean area to prevent slipping.

Conditions for safe storage, including any incompatibilities

Storage Store in a cool, dry place. Keep away from oxidizers.

Incompatible Materials or Ignition Sources

Keep away from oxidizers and strong acids

SECTION 8: Exposure Controls / Personal Protection

Exposure Controls

Engineering

Measures / Controls

Use in well ventilated area. If used in an enclosed area, provide fans or other mechanical means to provide adequate ventilation.

Personal Protective Equipment

NIOSH approved acid gas cartridge respirator, chemical splash goggles, nitrile gloves, rubber apron, and rubber boots

General Industrial Hygiene

Considerations

Clean protective gear after use. Rinse with water and allow to dry.

SECTION 9: Physical and Chemical Properties

Information on Physical and Chemical Properties

Physical Form	Liquid	Appearance	Thin, green liquid
Color	Green	Odor	Wintergreen
Taste	Data Lacking	Particulate Type	N/A
Particulate Size	N/A	Aerosol Type	N/A

General Properties

Boiling Pt	212 F	Melting Point	Data Lacking
pH	0.5 - 1.5	SG / Density	1.03 - 1.05
Water Solubility %	100	VOC	0 grams / Liter

SECTION 10: Stability and Reactivity

Reactivity

No dangerous reaction know under conditions of normal use

Chemical stability

Stable under normal temperatures and pressures.

Possibility of hazardous reactions

Hazardous polymerization is not expected to occur

Conditions to Avoid

Avoid contact with strong alkaline solutions, oxidizers, powdered metals & organic materials.

Hazardous Decomposition

Combustion may emit toxic, corrosive fumes of Hydrogen Fluoride, Sulfur Dioxide & Fluorine Gas.

SECTION 11: Toxicological Information

Sulfuric Acid

CAS# 7664-93-9

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact.

Toxicity to Animals: Acute oral toxicity (LD50): 4280 mg/kg (Rat.)

Extremely hazardous in case of inhalation (lung corrosive). Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive, permeator), of eye contact (corrosive).

NOTES TO PHYSICIAN: Treat inhalation as chemical pneumonia.

SECTION 12: Ecological Information

Sulfuric Acid is very toxic to aquatic life. Do not allow product into streams, storm drains or other bodies of water.

SECTION 13: Disposal Considerations

Dispose of according to local, state and federal regulations.

SECTION 14: Transport Information

Product is not regulated for ground or ocean transport

SECTION 15: Regulatory Information

SARA 302 Components

Sulfuric Acid is reportable under requirements of SARA Title III, Section 302.

SARA 313 Components

This material contains Sulfuric Acid Reportable quantity is 1000 lbs of Sulfuric Acid.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

TSCA

Sulfuric Acid is listed on TSCA. Reportable quantity is 1000 pounds of Sulfuric Acid.

SECTION 16: Other Information

Dated: December 24, 2019

WARNING: This information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe: Read this safety information and forward it to all persons who may be exposed to this product.